

STRAIGHT LENGTH TUBING

		Diameter													
		.250	.375	1/2	.500	.625	.750	.875	1.000	1.250	1.500	1.750	2.000	2.500	
Wall Thickness	Decimal	.018"	■	■	■	■	■	■	■	■	■	■	■	■	
	.020"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.022"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.028"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.035"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	1mm	.039"	■	■	■	■	■	■	■	■	■	■	■	■	■
	.049"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.065"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.083"	■	■	■	■	■	■	■	■	■	■	■	■	■	
	.120"	■	■	■	■	■	■	■	■	■	■	■	■	■	

ASTM Specifications

ASTM A554, Standard Specification for Welded Stainless Steel Mechanical Tubing

ASTM A269, Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

ASTM A249, Standard Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes

ASTM A789, Standard Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service

Alloys

304 / 304L

316 / 316L

2205

825

Lengths

up to 40 Feet

Finishes

STPI can produce finishes from welded, polished, scotch-brite or buffed to our Classic Finish. We have the ability to match most finishes. Please inquire regarding your special finish needs.

Cutting

STPI can custom cut and package your tubular products to your specific needs.



Southeast Tubular Products, Inc.

1308 Industrial Drive, Statesville, NC 28625

Phone: 704-883-8883 | Fax: 704-883-9994

COILED TUBING (CONTINUOUS LENGTH)

		Diameter								
		.250	.375	12mm	.500	.625	.750	.875	25mm	1.000
Wall Thickness	Decimal	.018								
	Gage	.020								
	.022									
	.028									
	.035									
	1mm	.039								
	.049									
	.060									
	.083									

ASTM Specifications

ASTM A554, Standard Specification for Welded Stainless Steel Mechanical Tubing

ASTM A269, Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

ASTM A249, Standard Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes

ASTM A789, Standard Specification for Seamless and Welded Ferritic/Austenitic Stainless Steel Tubing for General Service

Alloys

304 / 304L

316 / 316L

2205

825

Lengths

up to 100,000 Feet

Packaging

Coiled tubing can be supplied on wooden, and metal reels or loose level wound

Testing

Inline Eddy Current, Hydrostatic, Pneumatic



Southeast Tubular Products, Inc.

1308 Industrial Drive, Statesville, NC 28625

Phone: 704-883-8883 | Fax: 704-883-9994

SQUARES AND RECTANGLES

	.375	.500	.562	.625	.654	.687	.718	.750	.843	.875	.975	1.000	1.083	1.095	1.125	1.250	1.438	1.500	1.562	1.575	1.625	1.760	1.780	2.000	2.165	2.250	2.375	2.500	2.687	2.750	3.000						
.375	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■			
.500	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.562	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.625	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.654	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.687	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.718	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.750	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.843	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.875	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
.975	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
1.000	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
1.083	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
1.095	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
1.125	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
1.250	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.438	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.500	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.562	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.575	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.625	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.760	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
1.780	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.000	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.165	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.250	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.375	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.500	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
2.687	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
2.750	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
3.000	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

Specifications

STPI can produce lengths up to 50 feet and wall thickness from .020" to .125" depending on the size.

Square and Rectangles

STPI can produce standard squares and rectangles from in-house stock materials or can custom shape your rounds in a variety of alloys and gauges.

Special Shapes

STPI can produce special shapes such as ellipticals , flat ovals and triangles.

Custom Shapes

STPI can custom shape complicated profiles such as "T" shapes, "D" shapes, tubes within tubes and tubes drawn over special materials, such as copper wire or solid bar.

Call on our team of professionals to help you develop your special and unique drawn profile on our modern 50 foot draw bench.



Southeast Tubular Products, Inc.

1308 Industrial Drive, Statesville, NC 28625

Phone: 704-883-8883 | Fax: 704-883-9994